			$\mu$
	Application No.	Applicant(s)	
Notice of Allowability	09/911,392	SUZUKI ET AL.	
	Examiner	Art Unit	T
	Karen B Addison	2834	
The MAILING DATE of this communication at All claims being allowable, PROSECUTION ON THE MERITS herewith (or previously mailed), a Notice of Allowance (PTOLNOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT of the Office or upon petition by the applicant. See 37 CFR 1.	IS (OR REMAINS) CLOSED 85) or other appropriate com RIGHTS. This application is	D in this application. If not inclum Imunication will be mailed in du	ded e course. <b>THIS</b>
<ol> <li>This communication is responsive to <u>3/13/03</u>.</li> <li>The allowed claim(s) is/are <u>1-28</u>.</li> </ol>			
<ul><li>3.  The drawings filed on are accepted by the Exam</li></ul>	niner		
4.   Acknowledgment is made of a claim for foreign priority		) or (f)	
a) ☑ All b) ☐ Some* c) ☐ None of the:		, or (1).	
Certified copies of the priority documents h			
<ol><li>Certified copies of the priority documents h</li></ol>	• •	<del></del>	
<ol> <li>Copies of the certified copies of the priority International Bureau (PCT Rule 17.2(a))</li> </ol>		ved in this national stage applic	cation from the
* Certified copies not received:			
5. Acknowledgment is made of a claim for domestic priorit	• • • • • • • • • • • • • • • • • • • •		
(a) The translation of the foreign language provision			
6. Acknowledgment is made of a claim for domestic priorit	y under 35 U.S.C. §§ 120 an	d/or 121.	
Applicant has THREE MONTHS FROM THE "MAILING DATE below. Failure to timely comply will result in ABANDONMENT	of this communication to file of this application. THIS TI	e a reply complying with the red HREE-MONTH PERIOD IS NO	quirements noted T EXTENDABLE
<ol> <li>A SUBSTITUTE OATH OR DECLARATION must be sull INFORMAL PATENT APPLICATION (PTO-152) which gives remaining the sull information.</li> </ol>			NOTICE OF
<ul> <li>8. CORRECTED DRAWINGS must be submitted.</li> <li>(a) including changes required by the Notice of Drafts</li> <li>1) hereto or 2) to Paper No.</li> <li>(b) including changes required by the proposed drawing including changes required by the attached Examination</li> </ul>	ng correction filed, w	hich has been approved by the	
Identifying indicia such as the application number (see 37 CF each sheet.	R 1.84(c)) should be written o	n the drawings in the front (not th	ne back) of
9.   DEPOSIT OF and/or INFORMATION about the deattached Examiner's comment regarding REQUIREMENT FOR			Note the
Attachment(s)			
<ul> <li>1⊠ Notice of References Cited (PTO-892)</li> <li>3□ Notice of Draftperson's Patent Drawing Review (PTO-948</li> <li>5☑ Information Disclosure Statements (PTO-1449), Paper No.</li> <li>7□ Examiner's Comment Regarding Requirement for Deposit of Biological Material</li> </ul>	) 4☐ Interv o. <u>5</u> . 6☐ Exam	e of Informal Patent Application iew Summary (PTO-413), Pape iner's Amendment/Comment iner's Statement of Reasons for	er No

Application/Control Number: 09/911,392

Art Unit: 2834

## **DETAILED ACTION**

## Allowable Subject Matter

- 1. Claims 1-28 allowed.
- 2. The following is an examiner's statement of reasons for allowance: Prior art shows a piezoelectric resonator operating in the thickness extension mode in fig. 2-3 comprising: a piezoelectric substrate a first vibrating electrode; a second vibrating electrode; a first terminal and a second terminal extending on a surface of the substrate; two extension portions vie electrode extension portions disposed on the surface of the piezoelectric substrate wherein, the piezoelectric substrate is a hexahedron. Prior art also shows, the first vibrating electrode disposed on a first side of the piezoelectric substrate perpendicular to a thickness direction; and a second vibrating electrode is disposed on the second side of the piezoelectric substrate perpendicular to a thickness direction.

However, prior art fail to show a fist pad and a second pad respectively disposed in a predetermine area having a small vibration displacement on at least one side of the piezoelectric substrate perpendicular to the thickness direction; wherein the first pad is made of an electrical conductor and electrically connected to the first vibrating electrode; and the second pad is made of an electrical conductor electrically connecting the second vibrating electrode. Wherein the first and second pad are disposed on the same side. Prior art also show, fails to show an alternative embodiment, wherein the first pad and are disposed on different. Wherein the first pad and the second pad respectively includes an electrically conductive film and a bump. Prior art also fails to

Art Unit: 2834

show, a third and fourth pad having bumps respectively disposed in an area having a small vibration displacement on at least one side of the piezoelectric substrate. Prior art also fails to show, a piezoelectric transducer having a substrate and connecting conductors; wherein each of the connecting conductors includes a nucleus shape as an ball and an electrically conductive film adhered to a surface of the nucleus and disposed between the led electrodes of the piezoelectric transducer and the terminal electrode of the substrate.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

## Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Karen B Addison whose telephone number is 703-306-5855. The examiner can normally be reached on 8:00 to 4:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nestor Ramirez can be reached on 703-308-1317. The fax phone numbers for the organization where this application or proceeding is assigned are 703-305-3431 for regular communications and 703-305-3431 for After Final communications.

Application/Control Number: 09/911,392

Art Unit: 2834

Page 4

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-308-0956.

KBA August 13, 2003 Flomes M. Douglasty